

Vurcon PL-50B x2000 Flat bed lathe

Ref: PL50B x 2000



Tech specs

Brand	VURCON
Version	2000
X axis travel	250
Z axis travel	1920
Fast mooving speed X/Z	8/12
Max. gyration dia.	510
Max. gyration dia. of the bed saddle	ø 290
Max. turning diameter horizontal 6-station	ø 460
Distance between centers	2000
Rod diameter	ø 87
Spindle motor power	7,5
Spindle Speed	2500
Spindle bore	82
Nose end os spindle	A2-8
Knife tower capacity	6
Quartet cutter	25x25
Tailstock center sleeve taper hydraulic	ø 80
Axis diameter	ø 75
Axis stroke	150
Tail stock taper	MT No. 5
Tailstock center sleeve taper	MT5
Dimensions (L x W x H)	4200x2100x2200
Machine weight	4400

Standard equipment

- FAGOR 8060-FL-T (PPU240)
- Volantes electrónicos
- Plato Manual de 3 garras 250mm.
- Contrapunto manual
- Husillo principal (2.500 rpm)
- Unidad de lubricación automática
- Sistema de refrigeración mediante taladrina
- Luz en área de trabajo
- Luz de estado de máquina tricolor
- Aire acondicionado en el cuadro eléctrico
- Carenado completo
- Marcado CE

Images

